

**Minuteman**<sup>®</sup>  
More Than Just Clean

## E30 Walk Behind Floor Scrubber



- On-Board is Convenient and Allows the Machine to be Charged Anywhere
- 30 Gallon Solution and Recovery Tanks
- Easy-to-Clean, Hygienic Recovery Tank
- Heavy Duty Corrosion Resistant Scrub Deck

# Minuteman®

More Than Just Clean

The E30 is a compact brush scrubber with a 30" cleaning path and features two 15" disc brushes equipped with Aqua-Stop brushes.



The 30 gallon recovery tank is easy-to clean and hygienic while the Anti-Foam System (AFS) protects the vacuum motor. from damage.



The scrub deck is made of non-corrosive aluminum casting.



Easy access to the on-board charger. The on-board charger is convenient and allows the E30 floor scrubber to be charged anywhere.



Adjustable handle and ergonomic handbails offer superior handling of the machine. Easy-to-understand controls ensure that the machine is simple to operate. Provides an excellent line of sight to the area to be cleaned.



SPECIFICATIONS	
Cleaning Path Width	30"
Squeegee Width	43"
Theoretical Productivity	40,920 ft/hr
Working Speed	3.1 mph
Rated Voltage	24 volts
Vacuum Flow	65 cfm
Vacuum Water-lift	45 inches
Vacuum Power	.86 hp
Drive Motor Power	.70 ho
Aqua Stop Equipped	Yes
Brush Type	Disc
Brush Motor Power	.75 hp
Number of Brushes	2
Brush RPM	180 rpm
Solution Capacity	30 gal
Recovery Capacity	30 gal
Weight without Batteries	470 lbs.



## Aqua-Stop Technology



The Minuteman proprietary Aqua Stop technology saves 20% on chemical and water usage. The Aqua-Stop brush contains the spray radius for a controlled, focused clean.

FEATURE	BENEFITS
Aqua-Stop System	Cost savings thru water conservation
Heavy-Duty Design	Corrosive resistant scrub deck
Ergonomic Design	Reduces operator fatigue
User-Friendly Controls	Simple, easy to understand operator panel
LED Display	Battery gauge as well as service indicator lights to reduce down time.

Minuteman International  
 14N845 US Route 20  
 Hampshire, IL 60140  
 www.minutemanintl.com  
 1-800-323-9420